PROJECT REFERENCES WITH SOMFY®





Somfy CEO

Because we believe in smarter buildings with happier occupants... 22

Jean-Guillaume Despature



EDUCATION

 Queensland University of Technology / Australia
 6

 Jacob und Wilhelm Grimm Zentrum / Germany
 7

 MBRB Wayne State University / United States
 8









OFFICES



Rosorum Luxury Residential Care Home / Nether Cooks Children's Medical Center / United States Kaiser Permanente Hospital / United States Forskningsveien 13 / Norway.... Palo Alto polytrauma & blind rehabilitation centre / United States

HOSPITALITY





RESIDENTIAL

| 9 | r | l | á | 3 | | r | 1 | (| | | 5 | | | | | 1 | / | ł | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|--|
| | | | | | | | | - | | | | - | | | | 1 | 5 |) | |
| | | | - | - | | | | - | | | - | - | | | | 1 | 6 | ò | |
| | | | - | - | • | | • | - | • | • | - | - | • | • | | 1 | 7 | 7 | |
| | | | | | | | | | | | | | | | | 1 | 8 | } | |

EDUCATION

Buildings dedicated to education have a common goal: encourage access to knowledge. In order to accomplish this vital role for the future, buildings must provide the most comfortable working environment for students and teachers alike. Discover in the following projects how Somfy contributes to the occupants' comfort while also reducing energy costs.

> Realised with Somfy®



QUEENSLAND UNIVERSITY OF TECHNOLOGY

BRISBANE

AUSTRALIA

| Education New building Roller blinds |
|---|
| Owner Queensland University of Technology |
| Architect Donovan Hill + Wilson Architects |
| Installer KWA blinds |
| Builder Leighton Contractors |
| End products Vertilux |

SOMFY SOLUTION

animeo KNX 100 KNX Motor Controllers 8 sun sensors 317 Sonesse WT motors 17 Sonesse RTS motors



n keeping with the high level of technology used throughout the project, along with the goal of enhancing the occupant's thermal and visual comfort, a sophisticated system for a high performance façade was crucial. Somfy's animeo KNX provided the perfect façade management system for this project and is the first of its kind in Australia. The fully automated system is intuitive and provides simplified programming of all functions, including sun tracking. It also provides the option of manual override at a room level.

Controlling multiple blinds, animeo KNX guarantees natural light management, glare protection and better viewing comfort. This not only saves energy spent on artificial lighting and improves and harmonises the lighting conditions in the room; it also actively enhances the occupants' well-being and learning capacity.

The automated solar shading system ensures that the centre's high performance façade guickly adapts to the changing weather during the course of the day and the changing seasons over the course of a year; utilizing multipoint sun sensors. Somfy's intelligent controls ensure the impressive display contained within The Cube is always protected from the sun's harsh light. The displays include 14 high-definition projectors, and over 40 multitouch screens and sound technology.

The Somfy animeo KNX system also has the ability to give occupants the flexibility to adapt to their needs by overriding the control of blinds in their local area. The system is remotely linked and is accessible at any time through the use of the internet or smartphones.

The Science and Engineering Centre has achieved a 5-star Design Education V1 Certified rating from the Green Building Council of Australia.

Somfy's animeo KNX provided the perfect façade management system for this project and is the first of its kind in Australia. 💯

JACOB UND WILHELM GRIMM ZENTRUM

GERMANY

Education New building 20.300 sa. m Exterior screens Owner Humbodt University Architect Max Dudler Electrical planning: ZWP Ingenieur AG

ANIMEO SOLUTION

animeo IB+ 2 TouchBuco 8 zones 100 IB+ Motor Controllers 400 LT50 motors



he Jacob und Wilhelm Grimm Zentrum is a building boasting cubist strictness and clarity. The deeply inset window openings have no frames or ledges, while their different sizes ensure architectural diversity. All openings are fitted with automatically-operated sunshades.

The centrepiece and design-related inside the library is the central reading room – a series of terraces rising up through four levels on two sides.

The glass roof in the Grimm-Zentrum offers optimum visibility, as zenith and natural light is three times brighter than side lighting. Furthermore, ceiling openings make it possible to light spatial depths that cannot be reached through window glazing. There are nevertheless some disadvantages with regard to visibility where computers are used. Certain angles of incidence and intensity levels of natural light can result in reflections and glare on the computer screen. To prevent this, the roof openings are fitted with motorised horizontal screens.

To ensure effective networking of all elements related to sun protection in the Grimm-Zentrum, animeo IB+ has been used.

Because different influencing factors such as sun, wind and rain affect the screens on the different sides of the building,

the facade is divided into a total of 14 zones. controlled individually by the external weather station. This protects the screens from damage while maintaining optimum visibility for the room users.

For each of the 14 zones, a freely-chosen sun protection position can be programmed by PC or via centrally placed area sensors, so that the screens are always in an optimum position. In the offices located on the upper floors, screens can also be operated manually by means of wall switches. These enable employees to counteract the central commands whenever necessary.

The Grimm-Zentrum is a perfect illustration that high performance façades are playing an increasingly important role, in particular with regard to user comfort. Flexibility, compatibility and reliable technology are key factors in achieving the right balance between the use of daylight, glare protection and material safety.

 \square A library, the very essence of which lies in reading, requires as much natural light as possible. This has a positive physical and psychological effect on the performance of those working there and enhances the visual effect. 777

MBRB WAYNE STATE UNIVERSITY

DETROIT

UNITED STATES

| Education New building 18,600 sq. m Roller blinds | |
|--|--|
| Owner Wayne State University | |
| Architect Harley Ellis Devereaux | |
| Installer Creative Windows | |
| Blind maker Hunter Douglas | |

ANIMEO SOLUTION

animeo IP/RS485 1 IP/RS485 Building Controller 6 Decoflex digital keypads 1 Compact Sensor Station 72 Sonesse 50 RS485 motors



he Multidisciplinary Biomedical Research Building is the newest research facility and the largest construction project to date for the Wayne State University in Detroit. The interdisciplinary building promotes interaction among all scientific areas with the goal of promoting human health and societies.

In the research facility, the animeo IP/RS485 system provides a balance of light as the researchers come and go. There is no occupant control except for within the conference rooms. The audiovisual system in these rooms will interface with Somfy's intelligent motors via the dry contacts at the rear of the Decoflex keypads.

The shades within the MBRB space are fully automated with no manual overrides providing a balance of light and a reduction in glare. The animeo IP software is installed on the network allowing designated personnel to override the system. The systems automatic control protocol is based on the external sun sensors and control logic configured within the animeo IP Building Controller. Solar entrance depth parameters will be set to limit the light trespass within the space.

Within the automatic control areas, all solar shades shall be controlled by logic in response to environmental data from the external sun sensors. Solar shade positioning depends on sun penetration depth set within the software and the sun position. The automatic position can be overridden by local keypads or by the facility management software.

The audiovisual system in these rooms will interface with Somfy's intelligent motors via the dry contacts at the rear of the Decoflex keypads. 22

OFFICES

Offices are now places where most employees spend the majority of their working hours. So it is essential that they are designed and built to provide maximum comfort for their occupants. Productivity depends on it. Discover in the following projects that Somfy solutions are the perfect match for the needs and restrictions of the office sector.

> Realised with Somfy[®]



EY CENTRE, 200 GEORGE STREET

'DNE`


AUSTRALIA

Offices New building **Closed Cavity Venetian Blinds** Owner Mirvac Development, AMP Capital Architect FJMT Installer Permasteelisa / Somfy Façade Engineers

Surface Design 6 star Green Star - Office Design v3 5 star NABERS Energy

ANIMEO SOLUTION

animeo KNX 756 KNX Motor Controllers **RTS** cards Building IP backbone with remote access Shadow management Web Remote access via the internet Installation and commissioning by Somfy Electrical Services 2,879 J4 WT motors



○ 00 George Street occupies a coveted dress circle location overlooking Circular Quay on Sydney Harbour. L The project was part of a City of Sydney Design Excellence competition and is home to project developer and builders Mirvac and EY, perhaps better known as Ernst and Young.

This new premium grade landmark building, designed by architects Francis-Jones Morehen Thorp, embraces innovation and high technology to produce a tower form that is organic and responsive. The façade of the building is striking and also one of its most innovative elements as it is the first project in the southern hemisphere to use a closed cavity facade. A closed cavity facade takes the high performance of a traditional double skin façade and brings it into a more space efficient solution. This unique system adjusts to external factors and occupant preference.

Somfy partnered with Permasteelisa to deliver the façade on this project. Permasteelisa have developed a unique moisture-maintenance free integrated facade panel unit that features built-in solar shading. In the case of 200 George Street, it is the timber blinds and clear glazing that will give 200 George Street facade a warm and inviting finish, unlike anything else on the Sydney skyline.

Somfy has been working closely with Permasteelisa to design, supply, install and commission on a facade control solution that benefits such a cutting edge project. Utilizing KNX and a building-wide IP network the Somfy solution offers sun-tracking, shadow management and integrated web based remote controls. This ensures the occupants of the building will always have the right amount of natural light and balancing the needs of glare control and energy efficiency

A closed cavity facade takes the high performance of a traditional double skin façade and brings it into a more space efficient solution. 77

CHALLENGER BOUYGUES CONSTRUCTION

GUYANCOURT

FRANCE

Offices Renovation project 67.000 sa. m Interior Venetian blinds in a closed cavity Owner **Bouygues Construction** Architect Kevin Roche Engineering consultancy LECS Manufacturer Model System Italia SpA

ANIMEO SOLUTION

animeo KNX 12 KNX Master Control W2 1,150 KNX Motor Controllers 4,500 J002 motors

SERVICES

Web Remote control for 2,600 users



n 2014, French construction group Bouygues Construction completed the renovation of all its headquarters buildings which were built in 1988 and have a total surface area of 67,000 sq.m. The aim was to reduce consumption of primary energy and water by 10 % and 40 % relative to their original values.

Somfy was introduced to the Challenger project as a supplier of motors for Venetian blinds and an intelligent blind system to improve user comfort and the buildings' energy performance. To manage the blind system Somfy used a complete KNX-network compatible automation system: this enables intelligent management of the blinds according to weather conditions while communicating via the KNX network with other building systems such as airconditioning, heating and lighting, to optimize the buildings' overall performance.

System programming can be customized based on the buildings' thermal and user comfort requirements. For the occupants, web remote control has been implemented on 2,600 workstations. Users can comfortably control their environment directly from their desktop.

In accordance with the most stringent environmental and energy efficiency specifications, the Challenger site in the Parisian suburb of Guyancourt is the first building to achieve a triple certification, awarded three of the highest environmental ratings with LEED "Platinum", BREEAM "Outstanding" and HQE "Exceptional".

Users can comfortably control their environment directly from their desktop. 77



MADRID

SPAIN


Offices New building 114,000 sq.m 6,000 employees Roller blinds & exterior Zip-screens Owner BBVA Architect Herzog & de Meuron

ANIMEO SOLUTION

925 LON Motor Controllers IB+ Motor Controllers KNX Motor Controllers 3 sensor station extended 3,000 LT 50 Meteor motors 3,000 LS40 Mercure motors

SERVICES

Shadow management



ocated on the northern outskirts of Madrid, BBVA's new headquarters are not just a building but more like a small city with bridges, corridors, streets and restaurants. BBVA's headquarters, which obtained LEED certification, are 114,000 sg.m. for the 6,000 people who work there. It consists of different areas: seven low buildings, one 20-floor elliptical tower 93m high called "La Vela" and a business center for customers and visitors. It is the largest construction to be built in Spain after the crisis.

These new headquarters were the opportunity for BBVA to speed up the group's digital transformation and revolutionize working methods. All employees work in open spaces without dedicated desks but with the possibility to book different kinds of working areas according to their needs at any time. The objective is to improve collaboration, share knowledge and stimulate decision-making at all company levels.

In addition, BBVA put the emphasis on working conditions,

improving air quality, light levels and temperatures. A big challenge for Somfy which contributed to occupant comfort and well-being through an automated solar shading solution installed in the building. The animeo solutions (LON, KNX and IB+ technologies) manage 6,500 exterior and interior screens.

Various buildings are also equipped with the shadow management solution. Depending on the time of day, the La Vela tower shades the basement offices, affecting the level of sunlight in each room. Thanks to the shadow management solution, each solar shading device is controlled individually or per zone, thereby guaranteeing optimum levels of user comfort. This combination of solutions enhances the building's energy efficiency and offers employees a more comfortable working environment.

All employees work in open spaces without dedicated desks but with the possibility to book different kinds of working areas according to their needs at any time. 20

ONIX BUILDING

LILLE

FRANCE

Offices Renovation project 3,400 sq. m Roller blinds Soltis 99LowE Owner Rabot Dutilleul group Architect Dominique Perrault Project Management Vinci Immobilier Industrial partners: - Lighting: Philips - Solar shading: Serge Ferrari

ANIMEO SOLUTION

animeo KNX Light Balancing KNX switches 205 Sonesse 40 WT motors



Somfy & Philips, two major players in the construction industry, took the initiative to combine their skills and expertise, and launched a life-size experiment with the well-known Rabot Dutilleul Group. To model the frame and interior window bays of the building, Somfy & Philips enlisted the Serge Ferrari Group, a leader in composite membranes.

The Onix building, designed by architect Dominique Perrault, was delivered in 2011. It was designed to RT 2005 thermal regulations, which do not require automated management of solar protection and lighting. The Rabot Dutilleul Group decided in 2011 to lease three floors in this recent building to serve as its head office.

At a meeting between Rabot Dutilleul and Somfy, the proposal to carry out a pilot project to assess the efficiency of the «Light Balancing» system drew the attention of the group's Director of Sustainable Development. This system makes it possible to jointly manage lighting and blinds in order to have more energy efficiency and greater comfort. One complete floor was equipped with the Light Balancing solution and with motorized interior blinds equipped with low-emissivity screens. For one year, this pilot floor was compared to a reference floor that kept its original equipment. Somfy and Philips assigned all of the energy and comfort studies to their partner IES. The goal was to measure and study the impact of the Light Balancing solution on:

- Visual comfort
- Thermal comfort
- Energy consumption

The energy savings mentioned in the scientific studies are reflected in substantial savings on the electrical bill, in the amount of 29 %, which comes to $2 \notin /m^2 / \text{year}$. Besides energy savings, this pilot showed a significant increase in employee productivity (+4,5 %). Because the user comfort is the primary factor in the building's operational performance.

Scan this QR code to download the complete case study!



At a meeting between Rabot Dutilleul and Somfy, the proposal to carry out a pilot project to assess the efficiency of the « Light Balancing » system drew the attention of the group's Director of Sustainable / Development. 99

SKYLABS

HEIDELBERG

GERMANY

Offices New buildina 19,500 sq. m Folding shutters Owner Skylabs SARL Architect Fischer Architekten GmbH Stockwerk GmbH Facade system: POHL special construction

ANIMEO SOLUTION

animeo IB+ 6 IB+ Building Controllers 8-zones 40 IB+ Motor Controllers 563 Output Converters 3 weather stations 6 Inside Sensor Boxes 600 motors



he SkyLabs building represents a landmark within the conceptual design of the «Bahnstadt» – a new quarter in Heidelberg. The «Bahnstadt» is both the biggest urban development project and the biggest quarter in Europe using the passive house standard. Besides this environmental requirement the flexible creation of approximately 19,500 m² rental space was an important criterion, allowing tenants to use it according to their own requirements.

The sun protection elements form an important feature in the design of the building's façade. More than 600 folding shutters on the outer skin of the building provide a very special three dimensionality either opened or closed, creating a unified picture and wholeness of the building. The shutters are translucent and consist of perforated plating. Even when closed, natural light can penetrate the interior without limiting the user's visibility and it is still possible to see the outside environment. This transparency makes the rooms feel spacious and likewise increases the level of working comfort.

animeo IB+ was the only solution on the market to satisfy the requirements for handling the shutters in terms of specific weather conditions. Three protection functions were implemented - wind protection, snow and ice protection and a security function. High wind loads start the wind protection function: the shutters close.

The snow and ice function protects the shutters from damage by closing every 2 hours to avoid high snow loads on the shutters. In case of smoke or fire the shutters open to give the fire and rescue service free entry to the building.

The sun protection technology in the Skylabs building is a good example how to harmonize demands on visual appearance of a building with the technical requirements. With animeo IB+ a unique façade construction as well as requirements on user comfort and energy consumption have been considered.



 \square animeo IB+ was the only solution on the market to satisfy the requirements for handling the shutters in terms of specific weather conditions. D

SWEDBANK HQ


SUNDBYBERG

SWEDEN

| Offices New building 45,000 sq. m Roller blinds | |
|--|--|
| Owner Swedbank | |
| Architect 3XN | |

ANIMEO SOLUTION

animeo KNX 48 zones Shadow management function 1,100 Sonesse 40 motors



Swedbank offers a wide range of financial services and products in its home markets. In 2014, they relocated all the bank's operations to a new modern and energy efficient 45,000 sq. m office with an estimated 2,500 workstations.

Because of the triple-V structure which breaks up the volume, the challenge were to manage the shadow cast by the building itself. Depending on the time of day and the building's location, shadows move, affecting the level of sunlight in each room. The solution resided in the installation of the animeo KNX solution with shadow management capabilities.

Shadow management by Somfy is generated using a 3D building model taking various factors into account, like the building architecture, its geographical location, windows position, neighboring buildings...

These details are programmed into a database, applied as calendar of operation, and activated in real-time response to sun from sensors mounted on the roof. Thus, only windows/zones exposed to the sun have their solar shading lowered.

Controlling approximately 1,100 interior roller blinds thanks to the shadow management solution, the balance between natural and artificial light is optimized, contributing to the employee's comfort and to the building's energy savings.

One of Sweden's most modern and innovative office buildings. 22

R.W BAIRD


MILWAUKEE

UNITED STATES

| Offices Renovation project Roller blinds | |
|--|--|
| Owner Baird | |
| Architect Gensler Chicago | |

ANIMEO SOLUTION

animeo IP/RS485 1 IP/RS485 Building Controller 1 IP/RS485 Sub-controller 800 Sonesse 50 ILT2/RS485 motors



he office of R.W. Baird is located within the US Bank Center in downtown Milwaukee. The building is 42 stories high, the tallest building in Milwaukee and the state of Wisconsin.

The US Bank Center is located along the shores of Lake Michigan with beautiful views of the water and of downtown Milwaukee. R.W. Baird occupies 14 of the floors within the building.

The 14 floors have SWF contract shades powered by Somfy intelligent motors and automated by Somfy's animeo IP/ RS485 system. The shades within the Baird space are fully automated providing a balance of light and a reduction in glare. There is no occupant control within the space except for virtual switches installed in designated offices. These virtual remote controls allow the employees to adjust the natural light level controlling the interior shades. The animeo IP software is installed on the network allowing designated personnel to override the system and the facilities manager has animeo IP software installed on the network with the possibility to override the system if needed.

After a first renovation phase, R.W. Baird decided to extend the installation to others floors.

Discover more about the animeo IP/RS485 benefits in R.W. Baird building!



The 14 floors have SWF contract shades powered by Somfy intelligent motors and automated by Somfy's animeo IP/ RS485 system. 77

ABU DHABI NATIONAL OIL COMPANY HQ

ABU DHAB

UNITED ARAB EMIRATES

Offices New building Roller blinds Owner ADNOC Architect HOK Engineering consultancy Hill Intl. Gold LEED Certification

ANIMEO SOLUTION

animeo LON 1,100 LON Motor Controllers 24 smart routers IP LON BACnet 500 IP points for web remote control Sensors 4,400 Sonesse 40 WT motors 240 LT 50 motors

bu Dhabi National Oil Company's new headquarters is a landmark building in the United Arab Emirates and a symbol of ADNOC's status as one of the most prominent oil and gas companies in the world. In addition to office space, this magnificent tower includes a Corniche Club, the Supreme Petroleum Council and Crisis Management Centre, the Heritage Museum and other supporting facilities. The total constructed area is about 190,000 square metres.

The Tower is oriented north-south and composed of 64 floors. The architect and client wanted to keep the north façade as clear as possible for the stunning view of the corniche. They were nevertheless concerned about the heat gain they might create, causing a burden on the HVAC system and thermal discomfort for people sitting next to the façade.

The north façade has double glazing with an automated internal roller blind, while the south façade has a double skin system mechanically ventilated with a roller in between.

List of functions :

- Programming for every window/motor
- Control from each office room via the workstation computer, in addition to the control via iBMS
- Automation by sun intensity (heat and light)



The total constructed area is about 190,000 square meters. The Tower is oriented north-south and composed of 64 floors. 99

THE FEDERATION OF KOREAN INDUSTRIES




KOREA

| Offices |
|---------------------------------------|
| New building |
| Roller blinds |
| Owner |
| FKI |
| Architect |
| Chang-jo & Adrian Smith + Gordon Gill |
| Construction Hyundai |
| riyulludi |

ANIMEO SOLUTION

animeo LON & IB+ 172 LON Motor Controllers 564 IB+ Motor Controllers 736 LON RTS Cards 742 Telis 4 RTS Pure local controls 395 Situo RTS 447 MHz local controls 2,858 Sonesse 40 motors



The new head-office building for the Federation of Korean Industries (FKI), located in the Yeoido District of Seoul, was completed in December 2013. The 240-metre-high tower with 56 floors comes with an innovative exterior wall, specifically designed by Chang-jo Architects and Adrian Smith + Gordon Gill architects.

The use of photovoltaic panels integrated into the building was seen as an architecturally appealing way to meet the strict zoning requirements, while the optimization of the panels became a driving factor in developing the architectural concept.

Somfy Korea installed guide-rail type roller screens to be used on inclined windows, applied to most parts of the building. To comply with the city's low energy plan, Somfy Korea suggested using animeo LON whose open protocol is capable of controlling motorized roller screens, HVAC and lighting.

The FKI tower was therefore the first commercial building to receive the EPI 1st grade (Energy Performance Index), which is the highest score for sustainable design awarded by the Korean Institute of Civil engineering and Building Technology (KICT).

The 240-meter-high tower with 56 floors comes with an innovative exterior wall, specifically designed by Chang-jo Architects and Adrian Smith + Gordon Gill architects. 77

J. LAURITZEN


ESBJERG

DENMARK

| Offices | |
|------------------|--|
| New building | |
| Exterior screens | |
| Owner | |
| J. Lauritzen | |

ANIMEO SOLUTION

animeo IP/io 1 IP/io Building Controller 1 IP/io Sub-Controller 1 Compact Sensor Smoove origin switches 15 Sunea io motors



Lauritzen A/S is a shipping company with operations worldwide. They operate more than J 150 vessels including short-term charters. One of their many offices is located in Esbjerg, on the west coast of Denmark.

J. Lauritzen's employees suffered glare from the sun and overheating when working on their computer.

This 2 floors building is equipped with the animeo IP/ io solution. The setup consists of exterior screens with io-motors, Smoove origin local controls, a Compact Sensor and, of course, the animeo IP/io Building Controller, 1 Subcontroller and the io Transceiver. Installation was guick and easy thanks to the use of the wireless products. The facility

manager receives system alerts to ensure increased peace of mind while maintenance will be facilitated in the future allowing easy upgrades to the system.

Thanks to the perfect blind alignment, animeo IP contributes to improving the aesthetics of the façade. Last but not least, the aim of improving both visual and thermal comfort for the occupants has been achieved. Watch the video here to discover the benefits of the animeo IP/io!



The setup consists of exterior screens with io-motors, Smoove origin local controls, a Compact sensor and, of course, the animeo IP/io Building Controller, 1 sub-controller and the io transceiver. 🕅

ONE ALBERT QUAY

IRELAND

Offices New building 175,000 sq. m Roller blinds Owner Green Reit PLC Architect Henry J Lyons Architects Developer JCD Building contractor BAM Engineering MMOS Blind contractor ACME blinds

ANIMEO SOLUTION

animeo IB+ 8 Building Controllers 200 IB+ Motor Controllers 200 RTS cards Smoove switches 800 Sonesse 40 WT motors

ne Albert Quay is the most significant new office development in Cork city centre in many years. It is set to become Ireland's flagship sustainable office development which will be designed to meet the relevant standards for a B1 BER (Building Energy Rating) Certificate and to achieve a Gold LEED Precertification Accreditation. Tenants include: Johnson Controls, ARUP, PwC, Hortonworks, Investec, Malwarebytes, Ardmore Shipping and Starbucks.

One Albert Quay sets new standards in terms of design, scale and efficiency for both national and global companies which expect nothing but the best.

This is why the developer JCD decided to implement automated blinds in this project as it is a flagship building within Cork that will set the standard for years to come. One animeo IB+ 4 zones Building Controller per tenant was specified by Somfy. In addition, animeo Inside Sensor Boxes control 800 Sonesse 40 WT motors using animeo IB+ motor controllers with RTS cards for local command. Room control is then realized via RTS Smoove switches. The BMS integration is achieved via DCT into each building controller and the zoning is per façade and per floor.

This system has been copied on two new projects with the same developer and another two projects will follow.



JCD decided to implement automated blinds in this project as it is a flagship building within Cork that will set the standard for years to come. One animeo IB+ 4 zone building controller per tenant was specified by Somfy. 77

SAVOLA GROUP HQ PANDA TOWER



SAUDI ARABIA

| Offices |
|------------------------------|
| New building |
| Roller blinds |
| Owner |
| Savola Group |
| Contractor |
| Techno Co. |
| System Integrator |
| Al Mayssan for Technical Ser |
| Installer |
| SMC |

ANIMEO SOLUTION

animeo LON 109 LON Motor Controllers 20 RS485/RTS transmitters **RTS** receivers 520 Sonesse 40 WT & RTS motors

he Savola group is a leading strategic investment holding company in the food and retail sectors across the MENAT (Middle East, North Africa and Turkey) region. The Panda tower is located at the centre of Jeddah City by the Red Sea and forms the eastern tower of the Headquarters Business Park. The tower will accommodate Savola Group Board members and employees.

The eastern and western façades form the main office area of the whole building and the client's requirement was to establish a timer/schedule through the BMS control room to open the blinds on different levels on each façade throughout the day and night.



C The LON/BACNET BMS system provides 5 different intermediate positions for various times throughout the day with the benefit of an occupant override function using the RTS card receiver. 77

HEALTHCARE

Buildings dedicated to healthcare share the same primary objective: to take care of patients' lives. This has a significant impact on their design, construction, use and energy performance. Discover in the following projects how Somfy animeo operates as an intelligent tool for the patients and staff, night and day.

> Realised with Somfy®



ROSORUM LUXURY RESIDENTIAL CARE HOME

ARNHE

NETHERLANDS

| Healthcare |
|-------------------------|
| Renovation project |
| Exterior screens |
| Owner |
| Hendrikje Martinus |
| Architect |
| Hendrik Willem Fromberg |
| Renovation architect: |
| Gerrit Feenstra |

ANIMEO SOLUTION

animeo IP/io 1 IP/io Building Controller 3 IP/io Sub Controller 3 Sun sensor 1 Wind sensor 1 Rain Sensor 64 sunea io motors



his luxury residential care building built in 1852, comprises 20 apartments with 64 external screens to control glare and reduce solar heat gains through the glazing. The initial need was to have a central control combined with local controls to give occupants the upper hand over the automation, thereby offering them more comfort and flexibility. Wind protection was also required to avoid damage to the carrier product.

The particularity of the project was that installing any cables in the building was not an option. Consequently, animeo IP/io was the best solution. It is a wireless solution perfectly suited to renovation projects.

The Building Controller and the three Sub Controllers communicate directly with each motor by radio. The timer function is enabled on local controls to have a central control function for three hours and also in winter months.

The customer's requirements were met: no cables inside, no renovation and no disturbance for the occupants thanks to the choosing of animeo IP/io.

The particularity of the project was that installing any cables in the building was not an option. Consequently, animeo IP/io was the best solution. 🕅

COOKS CHILDREN'S MEDICAL CENTER

FORT WORTH

UNITED STATES

| Healthcare | |
|----------------|--|
| New building | |
| 29,200 sq. m | |
| Roller blinds | |
| Owner | |
| Cooks Children | |
| Architect | |
| HKS Inc Dallas | |
| Installer: | |
| Quiltcraft | |

ANIMEO SOLUTION

animeo IP/RS485 1 IP Building Controller 1 IP Sub-Controller 1 Compact Sensor Station 5 Smart Switches 214 Sonesse 50 ILT2/RS485 motors



The 429-bed medical center is the cornerstone of Cook Children's Health Care System. It offers top medical minds, advanced technological equipment, leading surgical techniques, rehabilitation facilities and ancillary services designed to meet the unique needs of children. Linbeck Group, from Fort Worth, orchestrated the construction of the new 6 story, 314,000 square foot healthcare facility using Somfy automated solar shading solutions.

Owners wanted to maximize occupants comfort and energy efficiency by employing sun tracking. They also wanted to limit the need for keypads by using virtual switches on desktop PC's. Somfy systems partnered with SWF Contract and Quiltcraft Industries Inc. to manufacture and install 220 Sonesse ILT2 motorized roller shades throughout the Cooks Children's medical office building. The motorized shading solutions installed in the Medical Center are controlled by the animeo IP/RS485 technology.

Automated solar management throughout the Medical Center improve patient's comfort, and will increase productivity and energy savings for many years in the healthcare facility. Automated control of shades ensures that occupants are not affected by solar gain and glare but have access to daylight.

Solar Entrance Depth Management ensures that daylight penetration does not impact occupants at their workstations.

Somfy systems partnered with SWF Contract and Quiltcraft Industries Inc. to manufacture and install 220 Sonesse ILT2 motorized roller shades throughout the Cooks Children's medical office building. 50

KAISER PERMANENTE HOSPITAL

θάκι ανγ

UNITED STATES

| Healthcare New building Roller blinds |
|---|
| Owner Kaiser Permanente |
| Architect NBBJ San Francisco |
| Installer Penninsulators |

ANIMEO SOLUTION

animeo IP/RS485 1 IP/RS485 Building Controller 1 IP/RS485 Sub-controller 350 Intelligent Keypads Integrated Bedside controls 390 Sonesse 50 ILT2



he Kaiser Permanente Hospital in Oakland, CA is the flagship hospital for Kaiser Permanente which is one of the largest not for profit hospital organizations in the country. The Kaiser Permanente development team is committed to using the latest technologies in order to control and manage the natural light entrance in the building.

The design team at Kaiser Permanente partnered with Somfy and Peninsulators to manufacture and install 390 motorized roller shades powered by Somfy Sonesse 50 ILT motors into the hospital's patient rooms. Intelligent keypads are installed on the headwall of every patient room and are integrated to the patient bedside control system via dry contact wiring.

The automated shades increase productivity of the nursing staff and empower patients by integrating the shading system into the patient bedside control system and nursing stations.

The keypads are programmed to provide complete up and down control of the shades, as well as intermediate control at intervals of 25, 50 and 75 %. animeo IP is also programmed into the nurse's station PC's to provide additional control and real-time feedback of the shading system, thus ensuring the staff knows the status of all the shades at all times.

The Kaiser Permanente development team is committed to using the latest technologies in order to control and manage the natural light entrance in the building. 🕅

FORSKNINGSVEIEN 13

)SL (

NORWAY

Healthcare New building External Venetian Blinds Owner Diakonhjemmet Hospital

ANIMEO SOLUTION

animeo Solo 1 animeo Solo 2 1 animeo Solo 1 36 Motor Controllers 36 animeo RTS cards 64 Smoove Origin RTS controls 108 J4 motors



The Center for Psychopharmacology in Forskningsveien 13 is part of Diakonhjemmet Hospital, located at Vinderen in Oslo. Diakonhjemmet Hospital is a non-profit corporation owned by the Diakonhjemmet Foundation.

Three zones needed to be controlled - east, south and west - which is why two animeo Solo units were used. Sun tracking was not a prerequisite in this case. One of the main concerns was to have one switch per room and to be flexible in reprogramming the switches.

Another major wish was to keep the visible wiring inside the building and the rooms to a minimum which could be perfectly realized with RTS switches. The good costbenefit ratio and the reliability of this system convinced the investors to choose animeo Solo.

ratio and the reliability of this system convinced the investors to choose animeo Solo. 77

PALO ALTO POLYTRAUMA & BLIND REHABILITATION CENTRE

PALO ALTO

UNITED STATES

| Healthcare | |
|-----------------|--|
| New building | |
| 16,200 sq. m | |
| Roller blinds | |
| Architect | |
| Smith Group JJR | |

ANIMEO SOLUTION

animeo IP/RS485 150 Decoflex digital keypads 228 Sonesse 50 motors



The Palo Alto polytrauma and blind rehabilitation centre construction were completed in spring 2014. The three-story facility is Leadership in Energy and Environmental Design (LEED) silver equivalency. It is the first and only VA Polytrauma Rehabilitation Center to be combined with a Blind Rehabilitation Center.

At 174,000 square feet, this new facility is the largest consolidatedrehabilitationcenterinViginia.TheRehabilitation Center includes 24 beds for the polytrauma program, 32 beds for the blind rehabilitation program, and 12 beds for the polytrauma transitional rehabilitation program.

The center will also have an outpatient physical therapy/ occupational therapy clinic, an outpatient physical medicine and rehabilitation clinic, and clinical programs for Operation Enduring Freedom/Operation Iraqi Freedom Veterans. Flexible to install, easy to use and scalable, the Somfy digital solution animeo IP/RS485, installed in Palo Alto, is a perfect match for the needs and restrictions of the healthcare sector. For a better comfort, the patients can override the automatic functions thanks to the 150 Decoflex digital keypads installed in the building.

Flexible to install, easy to use and scalable, the Somfy digital solution animeo IP/RS485, installed in Palo Alto, is a perfect match for the needs and restrictions of the healthcare sector. 502

HOSPITALITY

The hospitality sector is constantly required to meet new demands and new challenges. Its buildings should be able to express the originality of a unique offering that provides increasingly personalized services. In the following project, discover how Somfy contributes to improving thermal and visual comfort while offering more privacy and new aesthetic atmospheres.

> Realised with Somfy®





HÔTEL NOMAD

ROISSY CHARLES **DE GAULLE**

FRANCE

Hospitality New building 205 rooms Roller blinds & roller shutters Owner Oceania hotel group Architect Pierre-Henri ARGOUACH / A3 Argouach Architectes Associés Project management SCI GEOROI 77 Room automation integrator Technidream Industrial partners HVAC systems : Daikin / Guest Room Management System : Crestron

ANIMEO SOLUTION

animeo IB+ 126 IB+ Motor Controllers **RTS** cards 205 smoove RTS local controls 205 Samsung tablets for multi-applicative controls (light, HVAC, blinds...) 205 Sonesse 40 & ILMO WT motors

SERVICES

Pre-pairing of animeo RTS cards and smoove local controls based on room implementation plans Assistance with installation and commissioning by Somfy technical support team





he Oceania Hotel group is a family-owned company that has built and managed hotels for over 40 years. They have four brands with different positioning (Oceania, Oceania Escale, Oceania Style & their new concept, Nomad Hotels). The Nomad Hotel concept is a breakthrough in the hospitality industry. The technological design of this concept enables rooms to be customized according to guests' wishes and habits based on ecoresponsibility. In addition, it optimizes the hotel staff's daily tasks as all devices are centralized and managed through the hotel Property Management System.

In order to achieve this, Nomad partnered with Somfy, Crestron & Daikin to set up a flexible, automated guestroom management system and deliver a unique guest experience. Guests are fully autonomous and can choose to control the different room devices through a single tablet PC. Moreover, they can select only the devices they need during their stay (using heating/ventilation or not, measuring water consumption, managing TV access, calling reception, etc.). At the end of their stay, they only pay for what they have used.

The automated roller shutters and interior screens are integrated with the Crestron intelligent system. This helps regulate both lighting and temperature within the room, ensuring that guests have the right amount of natural light balanced with the need to control glare (to watch TV, etc.) and to achieve energy efficiency. The facility manager receives real-time failure detection alerts and can resolve failures in under 24 hours. Somfy has been working closely with Crestron and Daikin to design, supply, install and commission a multi-application guest room solution and succeed in being the official supplier to the Oceania Hotel group. This will be duplicated in all other Nomad Hotels.

Guests are fully autonomous and can choose to control the different room devices through a single tablet PC. 77

RESIDENTIAL

Smart solutions for larger residential buildings (multi-family units) should not only be for the high-end residential sector, but for all buildings where a low energy consumption and high level of comfort is desired. Discover in the following projects how Somfy solutions, keeping temperature at a constant level and controlling natural light, are key contributors to the building's tenants daily comfort.

> Realised with Somfy®



THE METROPOLITANS


7URIC

SWITZERLAND

Residential New building 22,500 sq. m Exterior screens Architect be baumschlager eberle Project management Sebastian Kirsch Installer Stobag

ANIMEO SOLUTION

animeo IB+ 1 TouchBuco per appartment 500 Sonesse 40 motors



n the site of a former gearwheel factory in the Leutschenbach district, they rise toward the sky: The two 62 meter towers of « The Metropolitans ». Each of the two residential towers in the north of Zurich contains 106 condominiums and satisfies the Minergie standard of energy efficiency.

Thanks to their compact structures, the buildings need very little energy for heating. «The Metropolitans» draw that energy from a nearby thermal power station as part of an integrated district heating system. A layer of loggias surrounds the entire building volume, giving the rooms a high degree of privacy as every apartment is equipped with such an outdoor area of loggias between the inner and outer façade.

But the dual façade sets not only architectural standards. The outdoor area enveloping the building bridges the distance to the "inner façade" – the building's thermal shell - and at the same time fulfills an important ecological function, particularly during the summer months. During the hot season, the double façade provides natural shade, keeping temperatures in the interior pleasantly cool and creating a comfortable atmosphere without the use of

energy-consuming air conditioning. In the fall and winter, when the sun sits lower in the sky, its rays penetrate into the apartments' interiors and help to warm them naturally. Essentially, the zone between the insulated inner façade and the outer façade wrapping around it works as a thermal buffer.

In addition, the floor-to-ceiling windows are equipped with automatic vertical blinds. These allow residents to control heat, cold, and light penetration at any time to achieve their ideal individual comfort level without complex technology or large amounts of energy. A sensor array on the roof controls the approximately 500 blinds by means of an animeo IB+ façade management system in combination with one TouchBuco per apartment.

Each of the two residential towers in the north of Zurich contains 106 condominiums and satisfies the Minergie standard of energy efficiency. 99

ALPHATOWER



AUSTRIA

Residential Renovation project 5,384 sg. m 80 residential units External Venetian blinds Developer 6B47 Real Estate Investors


ANIMEO SOLUTION

animeo KNX 8 wind sensors local control switches Soness 40 motors

n 2015, following extensive renovation work, the Director of 6B47 Real Estate Investors, Sebastian Nitsch, opened the residential building under its new and illustrioussounding name, the Alphatower: "With the Alphatower, we have created affordable accommodation of the very highest level. The apartments are accessible to anyone and are particularly attractive thanks to their central location."

The Alphatower also boasts a state-of-the-art approach to energy concerns – to this end, the existing façade was thermally redeveloped as a rear-ventilated tile façade, essentially retaining the appearance of the previous stone masonry. To ensure as much natural daylight as possible reaches the close to 80 residential units while providing optimum heat and glare protection around the clock, the developers decided to install an Animeo KNX solar protection control from Somfy. This only turns the venetian blinds to a shading position if the indoor temperature rises too high or if there is a risk that visibility will be severely impaired due to glare or reflected sunlight.

With the exception of safety-related (wind) commands, the occupants can override automatic mode at any time via their local control points. The electrical company Elin from Unterpremstätten has installed a total of eight wind sensors spread across the entire façade. However, the screens are only raised according to the wind direction on those façades that are affected by the wind alarm. All other façades remain shaded. Another major advantage for building management is the seamless integration into the bus technology through the use of KNX enabling solar shading, lighting, air conditioning and safety elements to be inter-coupled and fully compatible with one another.





 \square With the Alphatower, we have created affordable accommodation of the very highest level. 🔊

Somfy SAS 50 avenue du Nouveau Monde BP 152 - 74307 Cluses Cedex France T +33 (0)4 50 96 70 00 F +33 (0)4 50 96 71 89 www.somfy.com/projects

A BRAND OF **SOMFY⁵** GROUP

